CARGO EXPRESS®
WORLD CLASS TRAILERS

PRO SERIES

Cargo 5' & 6' Wide Trailer

Specifications vary by plant

Now a 5 Year Warranty

STANDARD FEATURES

Optional Equipment May Be Shown

- Tube Main Frame Construction
- 16" O.C. Frame
- 16" O.C. Tube Sidewalls
- 24" O.C. Roof Bows
- Spring Axles
- EZ-Lube Hubs
- 15" Radial Tires
- Chrome Center Caps & Chrome Beauty Rings
- 2" Coupler (Single Axle)
- 2-5/16" Coupler (Tandem Axle)
- Safety Chains
- 2000# Tongue Jack
- Sand Pad
- 3/4" Floor
- High Performance Wall Liner
- 24" Bullnose (Flat Top Only)
- Radius Front (Round Top Only)
- TPO Cap (Round Top)
- .080 Top Wrap (Round Top)
- .030 Screwless Aluminum Exterior
- ATP Front Corners or Nose
- 1 Piece Aluminum Roof
- ATP Fenders
- 24" Stoneguard
- Ramp Door w/Ramp Extention & Spring Assist or Double Rear Doors
- 32" Entry Door w/ Flushlock (6' Wide Models)
- (2) Sidewall Vents
- 4-Way Plug (Single Axle)
- 7-Way Plug (Tandem Axle)
- LED Tail Lights
- LED Clearance Lights
- LED Fender Mount Turn Signals
- (2) LED Dome Lights w/ Switch
- Arctic Liner on Tongue & Rear Crossmember
- Automotive Undercoating
- Limited 5 Year Warranty

IN: 877 475 5665 • TX: 866 622 0858 • AZ: 877 541 5665 • UT: 877 544 5665 • PA: 844 661 5665 www.cargoexpress.com

Cargo Express is a family-focused company; building industry-leading products while making safety, innovation and customer service our highest priorities.

CARGO EXPRESS®
WORLD CLASS TRAILERS

PRO SERIES

Cargo 7' & 8.5' Wide Trailer

Specifications vary by plant

STANDARD FEATURES

Optional Equipment May Be Shown

- Tube Main Frame Construction
- 16" O.C. Frame
- 16" O.C. Tube Sidewalls
- 24" O.C. Roof Bows - 7' Wides
- 16" O.C. Roof Bows - 8.5' Wides
- Spring Axles
- EZ-Lube Hubs
- 4-Wheel Electric Brakes
- 15" Radial Tires
- Chrome Plastic Hub Caps
- 2-5/16" Coupler
- Safety Chains
- 2000# Tongue Jack
- Sand Pad
- 3/4" Floor
- High Performance Wall Liner
- 30" Bullnose (Flat Top)
- Radius Front (Round Top)
- TPO Cap (Round Top)
- .080 Top Wrap (Round Top)
- .030 Screwless Aluminum Exterior
- ATP Front Corners or Nose
- 1 Piece Aluminum Roof
- ATP Fenders on 7' Wide
- ATP Fender Flares on 8.5' Wide
- 24" Stoneguard
- Ramp Door w/ Ramp Extension & Spring Assist or Double Rear Doors
- 32" Entry Door w/ Flushlock
- (2) Sidewall Vents
- 7-Way Plug
- LED Tail Lights
- LED Clearance Lights
- (2) LED Side Mount Turn Signals
- (2) LED Dome Lights w/ Switch
- Automotive Undercoating
- Limited 3 Year Warranty

www.cargoexpress.com

Indiana: 877 475 5665 • TX: 866 622 0858 • Arizona: 877 541 5665 • Utah: 877 544 5665 • Pennsylvania: 844 661 5665

	PRO SERIES CARGO						
	PROR 5X8SI2	PROR 5X10SI2	PROR 6X10SI2	PROR 6X12SI2	PROR 6X12TE2	PROR 6X14SI2	PROR 6X14TE2
Overall Length	11'11"	13'11"	13'11"	15'11"	15'11"	17'11"	17'11"
Width	81"	81"	93"	93"	93"	93"	93"
Height	87"	87"	93"	93"	93"	93"	93"
Interior Length	8'4"	10'4"	10'4"	12'5"	12'5"	14'5"	14'5"
Interior Width	56"	56"	68"	68"	68"	68"	68"
Interior Height	66"	66"	72"	72"	72"	72"	72"
Platform Height	18"	18"	18"	18"	18"	18"	18"
Rear Opening Ht.	60"	60"	66"	66"	66"	66"	66"
Rear Opening Wd.	51"	51"	66"	66"	66"	66"	66"
Hitch Ball Height	18"	18"	18"	18"	18"	18"	18"
Hitch Ball Size	2"	2"	2"	2"	2 5/16"	2"	2 5/16"
Brakes	OPT	OPT	OPT	OPT	STD	OPT	STD
GVWR	2990#	2990#	2990#	2990#	7000#	2990#	7000#
Hitch Weight	131#	142#	161#	179#	192#	200#	225#
Curb Weight	1050#	1155#	1290#	1415#	1800#	1545#	1970#
Payload Capacity	1940#	1835#	1700#	1575#	5200#	1445#	5030#
Tires	ST205/75R15	ST205/75R15	ST205/75R15	ST205/75R15	ST205/75R15	ST205/75R15	ST205/75R15
Wheels	E-COAT	E-COAT	E-COAT	E-COAT	E-COAT	E-COAT	E-COAT
Frame	TUBE	TUBE	TUBE	TUBE	TUBE	TUBE	TUBE
Floor	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"
Sidewalls	High Performance	High Performance	High Performance	High Performance	High Performance	High Performance	High Performance
Tail Lights	LED	LED	LED	LED	LED	LED	LED
Clearance Lights	LED	LED	LED	LED	LED	LED	LED
Dome Light	2	2	2	2	2	2	2
Switch	STD	STD	STD	STD	STD	STD	STD
Sidewall Vents	2	2	2	2	2	2	2
Stone Guard	24"	24"	24"	24"	24"	24"	24"
Side Door	OPT	OPT	32"	32"	32"	32"	32"
Rear Door	SINGLE / RAMP	SINGLE / RAMP	DOUBLE / RAMP	DOUBLE / RAMP	DOUBLE / RAMP	DOUBLE / RAMP	DOUBLE / RAMP
Sand Pad	STD	STD	STD	STD	STD	STD	STD
Crossmembers	16" OC	16" OC	16" OC	16" OC	16" OC	16" OC	16" OC
Side Posts	16" OC	16" OC	16" OC	16" OC	16" OC	16" OC	16" OC
Roof Bows	24" OC	24" OC	24" OC	24" OC	24" OC	24" OC	24" OC
Axles	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
EZ Lube	YES	YES	YES	YES	YES	YES	YES
Undercoat	Automotive	Automotive	Automotive	Automotive	Automotive	Automotive	Automotive

*For V-Nose Dimensions Please Refer to the XL Series Literature

Specifications Subject to Change Without Notice

	PRO SERIES CARGO				
	PROR 7X14TE2	PROR 7X16TE2	PROR 8.5X20TE2	PROR 8.5X24TE2	PROR 8.5X24TE3
Overall Length	17'7"	19'7"	23'11"	27'10"	27'10"
Width	102"	102"	102"	102"	102"
Height	95"	95"	100"	100"	100"
Interior Length	14'3"	16'3"	20'5"	24'4"	24'4"
Interior Width	81"	81"	96"	96"	96"
Interior Height	72"	72"	78"	78"	78"
Platform Height	21"	21"	21"	21"	21"
Rear Opening Ht.	66 3/4"	66 3/4"	72 3/4"	72 3/4"	72 3/4"
Rear Opening Wd.	76 1/2"	76 1/2"	93 1/2"	93 1/2"	93 1/2"
Hitch Ball Height	19"	19"	19"	19"	19"
Hitch Ball Size	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"
Brakes	ELECTRIC	ELECTRIC	ELECTRIC	ELECTRIC	ELECTRIC
GVWR	7000#	7000#	7000#	7000#	9950#
Hitch Weight	240#	270#	390#	410#	420#
Curb Weight	2000#	2291#	3210#	3680#	3720#
Payload Capacity	5000#	4710#	3790#	3320#	6230#
Tires	ST205/75R15	ST205/75R15	ST205/75R15	ST205/75R15	ST225/75R15
Wheels	E-COAT	E-COAT	E-COAT	E-COAT	E-COAT
Frame	TUBE	TUBE	TUBE	TUBE	TUBE
Floor	3/4"	3/4"	3/4"	3/4"	3/4"
Sidewalls	High Performance	High Performance	High Performance	High Performance	High Performance
Tail Lights	LED	LED	LED	LED	LED
Clearance Lights	LED	LED	LED	LED	LED
Dome Light	2	2	2	2	2
Switch	STD	STD	STD	STD	STD
Sidewall Vents	2	2	2	2	2
Stone Guard	24"	24"	24"	24"	24"
Side Door	32"	32"	36"	36"	36"
Rear Door	DOUBLE/RAMP	DOUBLE/RAMP	DOUBLE/RAMP	DOUBLE/RAMP	DOUBLE/RAMP
Sand Pad	STD	STD	STD	STD	STD
Crossmembers	16" OC	16" OC	16" OC	16" OC	16" OC
Side Posts	16" OC	16" OC	16" OC	16" OC	16" OC
Roof Bows	24" OC	24" OC	16" OC	16" OC	16" OC
Axles	SPRING	SPRING	SPRING	SPRING	SPRING
EZ Lube	YES	YES	YES	YES	YES
Undercoat	Automotive	Automotive	Automotive	Automotive	Automotive

*For V-Nose Dimensions Please Refer to the XL Series Literature

Specifications Subject to Change Without Notice