



XLSERIES

Cargo 5' & 6' Wide Trailer

Specifications vary by plant



Optional equipment may be shown

STANDARD FEATURES

- Tube Main Frame Construction
- 24" O.C. Frame
- 16" O.C. Sidewalls
- 24" O.C. Roof Bows
- Spring Axles
- EZ-Lube Hubs
- 15" Radial Tires
- 2" Coupler (Single Axle)
- 2-5/16" Coupler (Tandem Axle)
- Safety Chains
- 2000# Tongue Jack
- Sand Pad
- 3/4" High Performance Floor
- High Performance Wall Liner
- 18" Wedge (Flat Top Models)
- Radius Front (Round Top Models)
- TPO Cap (Round Top Models)
- .030 Top Wrap (Round Top Models)
- Aluminum Exterior
- 1 Piece Aluminum Roof
- ATP Fenders
- 24" Stoneguard
- Ramp or Single Rear Door on 5' Wide
- Ramp Door w/ Spring Assist or Double Rear Doors on 6' Wide
- 32" Entry Door w/ Flushlock (6' Wide Models)
- Deluxe J-Trim Around Ramp Door
- (2) Sidewall Vents
- 4-Way Plug (Single Axle)
- 7-Way Plug (Tandem Axle)
- LED Tail Lights
- LED Clearance Lights
- (1) LED Dome Light w/ Switch
- Moisture Barrier (IN & UT)
- Automotive Undercoating
- Limited 3 Year Warranty

IN: 877 475 5665 • TX: 866 622 0858 • AZ: 877 541 5665 • UT: 877 544 5665 • PA: 844 661 5665

www.cargoexpress.com

Cargo Express is a family-focused company; building industry-leading products while making safety, innovation and customer service our highest priorities.



XL SERIES

Cargo 7' & 8.5' Wide Trailer

Specifications vary by plant



STANDARD FEATURES

Optional equipment may be shown

- Tube Main Frame Construction
- 24" O.C. Frame on 7' Wide
- 16" O.C. Frame on 8.5' Wide
- 16" O.C. Sidewalls
- 24" O.C. Roof Bows on 7' Wide
- 16" O.C. Roof Bows on 8.5' Wide
- Spring Axles
- EZ-Lube Hubs
- 4-Wheel Electric Brakes
- 15" Radial Tires
- 2-5/16" Coupler
- Safety Chains
- 2000# Tongue Jack
- Sand Pad
- 3/4" High Performance Floor
- High Performance Wall Liner
- 18" Wedge (Flat Top only)
- Radius Front (Round Top only)
- Aluminum Exterior
- 1 Piece Aluminum Roof
- ATP Fenders on 7' Wide
- ATP Fender Flares on 8.5' Wide
- 24" Stoneguard
- Ramp Door w/ Spring Assist or Double Rear Doors
- 32" Entry Door w/ Flushlock
- Deluxe J-Trim Around Ramp Doors
- Recessed Step on 8.5' Wide
- (2) Sidewall Vents
- 7-Way Plug
- LED Tail Lights
- LED Clearance Lights
- (1) LED Dome Light w/ Switch on 7' Wide
- (2) LED Dome Lights w/ Switch on 8.5' Wide
- Moisture Barrier (IN & UT)
- Automotive Undercoating
- Limited 3 Year Warranty

IN: 877 475 5665 • TX: 866 622 0858 • AZ: 877 541 5665 • UT: 877 544 5665 • PA: 844 661 5665

www.cargoexpress.com

Cargo Express is a family-focused company; building industry-leading products while making safety, innovation and customer service our highest priorities.

	XL SERIES FLAT TOP CARGO						
	XLW 5X8SI2	XLW 5X10SI2	XLW 6X10SI2	XLW 6X12SI2	XLW 6X12TE2	XLW 6X14SI2	XLW 6X14TE2
Overall Length	12'	14'1"	14'1"	16'3"	16'3"	20'3"	20'3"
Width	82"	82"	93"	93"	93"	93"	93"
Height	84"	84"	91"	91"	91"	91"	91"
Interior Length	9'4"	11'4"	11'4"	13'4"	13'4"	15'4"	15'4"
Interior Width	56"	56"	68"	68"	68"	68"	68"
Interior Height	66"	66"	72"	72"	72"	72"	72"
Platform Height	18"	18"	18 1/4"	18 1/4"	18 1/4"	18 1/4"	18 1/4"
Rear Opening Ht.	60"	60"	66"	66"	66"	66"	66"
Rear Opening Wd.	51"	51"	66"	66"	66"	66"	66"
Hitch Ball Height	16"	16"	16"	16"	16"	16"	16"
Hitch Ball Size	2"	2"	2"	2"	2 5/16"	2"	2 5/16"
Brakes	OPT	OPT	OPT	OPT	STD	OPT	STD
GVWR	2990#	2990#	2990#	2990#	7000#	2990#	7000#
Hitch Weight	128#	119#	163#	172#	216#	193#	236#
Curb Weight	1070#	1080#	1360#	1440#	1800#	1610#	1970#
Payload Capacity	1920#	1910#	1630#	1550#	5200#	1380#	5030#
Tires	15"	15"	15"	15"	15"	15"	15"
Wheels	E-COAT	E-COAT	E-COAT	E-COAT	E-COAT	E-COAT	E-COAT
Frame	TUBE	TUBE	TUBE	TUBE	TUBE	TUBE	TUBE
Floor	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"
Sidewalls	High Performance	High Performance	High Performance	High Performance	High Performance	High Performance	High Performance
Tail Lights	LED	LED	LED	LED	LED	LED	LED
Clearance Lights	LED	LED	LED	LED	LED	LED	LED
Dome Light	1	1	1	1	1	1	1
Switch	STD	STD	STD	STD	STD	STD	STD
Sidewall Vents	2	2	2	2	2	2	2
Stone Guard	24"	24"	24"	24"	24"	24"	24"
Round Front*	OPT	OPT	OPT	OPT	OPT	OPT	OPT
Side Door	OPT	OPT	32"	32"	32"	32"	32"
Rear Door	SINGLE / RAMP	SINGLE / RAMP	DOUBLE / RAMP	DOUBLE / RAMP	DOUBLE / RAMP	DOUBLE / RAMP	DOUBLE / RAMP
Sand Pad	STD	STD	STD	STD	STD	STD	STD
Crossmembers	24" OC	24" OC	24" OC	24" OC	24" OC	24" OC	24" OC
Side Posts	16" OC	16" OC	16" OC	16" OC	16" OC	16" OC	16" OC
Roof Bows	24" OC	24" OC	24" OC	24" OC	24" OC	24" OC	24" OC
Axles	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
EZ Lube	YES	YES	YES	YES	YES	YES	YES
Undercoat	Automotive	Automotive	Automotive	Automotive	Automotive	Automotive	Automotive

*For Round Top Dimensions Please Refer to the Pro Series Literature

Specifications Subject to Change Without Notice

	XL SERIES CARGO				
	XLW 7X14TE2	XLW 7X16TE2	XLW 8.5X20TE2	XLW 8.5X24TE2	XLW 8.5X24TE3
Overall Length	18'3"	20'3"	24'3"	28'3"	28'3"
Width	102"	102"	102"	102"	102"
Height	93"	93"	100"	100"	100"
Interior Length	15'1"	17'1"	21'2"	25'2"	25'2"
Interior Width	80"	80"	96"	96"	96"
Interior Height	72"	72"	78"	78"	78"
Platform Height	19"	19"	21"	21"	21"
Rear Opening Ht.	66"	66"	72"	72"	72"
Rear Opening Wd.	77 1/2"	77 1/2"	93 1/2"	93 1/2"	93 1/2"
Hitch Ball Height	19"	19"	21"	21"	21"
Hitch Ball Size	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"
Brakes	ELECTRIC	ELECTRIC	ELECTRIC	ELECTRIC	ELECTRIC
GVWR	7000#	7000#	7000#	7000#	9900#
Hitch Weight	245#	260#	379#	437#	452#
Curb Weight	2045#	2170#	3160#	3640#	3770#
Payload Capacity	4955#	4830#	3840#	3360#	6130#
Tires	15"	15"	15"	15"	15"
Wheels	E-COAT	E-COAT	E-COAT	E-COAT	E-COAT
Frame	TUBE	TUBE	TUBE	TUBE	TUBE
Floor	3/4"	3/4"	3/4"	3/4"	3/4"
Sidewalls	High Performance	High Performance	High Performance	High Performance	High Performance
Tail Lights	LED	LED	LED	LED	LED
Clearance Lights	LED	LED	LED	LED	LED
Dome Light	1	1	2	2	2
Switch	STD	STD	STD	STD	STD
Sidewall Vents	2	2	2	2	2
Stone Guard	24"	24"	24"	24"	24"
Round Front*	OPT	OPT	OPT	OPT	OPT
Side Door	32"	32"	36"	36"	36"
Ramp	STD	STD	STD	STD	STD
Sand Pad	STD	STD	STD	STD	STD
Crossmembers	24" OC	24" OC	16" OC	16" OC	16" OC
Side Posts	16" OC	16" OC	16" OC	16" OC	16" OC
Roof Bows	24" OC	24" OC	16" OC	16" OC	16" OC
Axles	SPRING	SPRING	SPRING	SPRING	SPRING
EZ Lube	YES	YES	YES	YES	YES
Undercoat	Automotive	Automotive	Automotive	Automotive	Automotive

***For Round Top Dimensions Please Refer to the Pro Series Literature**

Specifications Subject to Change Without Notice